## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,919,067 B2

Page 1 of 2

**DATED** 

: July 19, 2005

INVENTOR(S) : Aaron Gershon Filler and Andrew Michael Lindsay Lever

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 3,

Line 32, "comprises; a" should read -- comprises a --.

### Column 4,

Lines 22-23, "08/087,78:" should read -- 08/087,781 --.

Line 46, "t=64 hours, 1-, 2.283 MeV" should read --  $t^{1/2}$  =64 hours,  $\beta$ -, 2.283 MeV --.

Line 55, "the Y-ferrites" should read -- the 90Y-ferrites --.

Line 65, "the Y will be" should read -- the 90 Y will be --.

#### Column 7,

Line 31, "of Fe-enriched" should read -- of <sup>56</sup>Fe-enriched --.

Line 51, "1F" should read -- 18F --.

Line 56, "of F in" should read -- of 18F in --.

#### Column 15,

Lines 21-22, "temperatures; tend" should read -- temperatures tend --.

Line 57, "22 mM" should read -- 20 mM --.

#### Column 16,

Line 3, "21D μ1" should read -- 20 μ1 --.

#### Column 16, line 67 to Column 17, line 1,

"manifold 18 dividing barrelled needle" should read

-- manifold 18 dividing flow of glue components into four sets and then pairing up the sets of double-barrelled needles, one pair of needles shown at 19 emerging from manifold cover to enter the plunger shaft, and, shown at 20, a fully-extended set of double-barrelled needles spreading out from sheath tip to penetrate tumor in various directions. Fig. 3J shows the plunger lifted to withdraw needles back into the sheath. Fig. 3K shows the plunger advanced to force the four double-barrelled needle sets --.

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

: 6,919,067 B2

Page 2 of 2

DATED

: July 19, 2005

INVENTOR(S) : Aaron Gershon Filler and Andrew Michael Lindsay Lever

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18,

Lines 23, 25 and 50, "radionucide" should read -- radionuclide --.

Signed and Sealed this

Eleventh Day of October, 2005

JON W. DUDAS

Director of the United States Patent and Trademark Office